

## HEALTHCARE DELIVERY

# Systems thinking: A turning point for improving respectful obstetric care in South African health districts

S J Oosthuizen,<sup>1</sup> MB ChB, MMed (Fam Med); A-M Bergh,<sup>2</sup> PhD; R C Pattinson,<sup>2</sup> BSc, MB ChB, MMed (O&G), FCOG (SA), MD, FRCOG

<sup>1</sup> Department of Family Medicine, Faculty of Health Sciences, University of Pretoria, South Africa

<sup>2</sup> South African Medical Research Council Maternal and Infant Health Care Strategies Unit, Faculty of Health Sciences, University of Pretoria, South Africa

**Corresponding author:** S J Oosthuizen ([sarie.silberbauer@gmail.com](mailto:sarie.silberbauer@gmail.com))

Poorly functioning health systems and local health systems barriers affect many women giving birth in low- and middle-income countries. The district clinical specialist teams in South Africa are uniquely positioned to provide facilitation and mentoring during interventions for improving the weak primary healthcare system. To ensure success, four key principles should be considered during scale-up of interventions: systems thinking and awareness of contexts and barriers; a focus on sustainability; harnessing factors known to enhance scalability; and respect for human rights and equity. Asking the right questions about the responsibilities of health systems at the micro-, meso- and macro-levels will benefit scale-up processes and sustain innovative pathways to high-quality obstetric care in communities.

*S Afr Med J* 2018;108(11):910-914. DOI:10.7196/SAMJ.2018.v108i11.13312

Every woman's access to high-quality obstetric care<sup>[1]</sup> during childbirth is still not assured in low- and middle-income countries (LMICs).<sup>[2,3]</sup> More than 70% of maternal deaths are due to complications of pregnancy and childbirth, while more than 85% of newborn deaths are attributed to preterm birth, intrapartum perinatal deaths and neonatal infections.<sup>[4,5]</sup> The Sustainable Developmental Goals set targets at a maternal mortality ratio of <70 per 100 000 live births and a neonatal mortality rate at least as low as 12 per 1 000 live births by 2030.<sup>[2]</sup>

Although the basics of high-impact maternal, newborn and child health interventions are known in LMICs, optimal clinical care is still lagging behind<sup>[6]</sup> and implementation seldom reaches scale.<sup>[6,7]</sup> This is the result of poorly functioning health systems, local health systems barriers,<sup>[7,8]</sup> low and unequitable coverage<sup>[9]</sup> and problematic political leadership.<sup>[9,10]</sup> Low political commitment and poor implementation mean that cost-effective innovations fail to reach all groups or the poorer segments of populations in sub-Saharan Africa and LMICs.<sup>[11]</sup> The effective spread of available strategies for reducing maternal, perinatal, infant and child mortality<sup>[2,12]</sup> should include a collaborative improvement approach<sup>[10,13,14]</sup> that incorporates health systems and systems thinking into the pathways of better and sustained care.<sup>[15-17]</sup>

A number of studies have reported on the disrespectful care and mistreatment that some birthing women experience in South African (SA) public health facilities.<sup>[18-21]</sup> We developed CLEVER, a district-level labour ward package, with scale-up in mind. It is based on a stages-of-change framework and conditions for sustaining the intervention are embedded in the design.<sup>[22]</sup> All the package components are based on evidence from previously tested interventions in LMICs with positive impact and measured outcomes. The framework of the World Health Organization (WHO) for health systems strengthening and its standards of care and quality statement documents<sup>[23-25]</sup> informed some of the pathways proposed in CLEVER. The interventions in the package can be individually adapted for the context of each labour ward. The CLEVER package includes the following components:<sup>[22]</sup>

- Clinical care with obstetric triage and handover rounds with risk assessment

- Labour ward management to resolve withholding of care and teamwork issues
- Elimination of barriers through effective communication practices and meeting basic human needs
- Verifying care through nominated champions and monitoring and evaluation
- Emergency obstetric simulation training with capacity building reaching all shifts
- Respectful care to improve mothers' childbirth experiences.

Health systems gaps are addressed on micro-, meso- and macro-levels, while clinical governance is addressed by nominating advanced midwives as unit champions and by involving the facility managers.

Working CLEVER was a three-phased interventional study with a baseline and end-line assessment. We tested it in five midwife-led obstetric units (MOUs) in one district in SA in 2016. Five other MOUs served as the control group. Over the period 2015 - 2017, outcome measurements showed statistically significant improvements in key perinatal output indicators in the MOUs where the package was implemented. Intrapartum-related stillbirths were reduced from 8.36 to 0.49 per 1 000 births in the intervention MOUs, compared with a reduction from 8.33 to 2.61 in the control group ( $p=0.003$ ). The incidence of birth asphyxia was reduced from 13.09 to 5.19 per 1 000 live births in the intervention group and increased from 7.41 to 9.70 per 1 000 in the control group ( $p=0.002$ ). Meconium aspiration decreased from 11.98 to 3.71 per 1 000 live births in the intervention group and from 3.46 to 2.62 in the control group ( $p=0.003$ ).

The intervention should now be tested in district hospital labour wards. The ideal facilitators for implementing this intervention are district clinical specialist teams (DCSTs). These were appointed in 2012<sup>[26]</sup> as one of three streams in the SA national primary healthcare (PHC) re-engineering strategy to address a weak PHC system<sup>[27]</sup> and to ensure effective clinical governance, risk management and quality improvement processes.<sup>[28]</sup> DCST members are integrated in the health system and their salaries are covered. Improvement in health system gaps could be financed from existing budgets if there is appropriate justification for proposed expenses. Doing

an intensive 3-month outreach with the CLEVER intervention may incur additional expenses such as travel costs and the printing of material. However, it could be argued that an improvement in quality of care may lead to substantial savings for the health system, *inter alia* because of a potential drop in litigation cases.

The aim of this discussion is to stimulate thinking on how the findings from the implementation of an evidence-informed intervention package could inform policy-making with regard to scaling up the intervention to other districts in SA. This discussion draws on the 2012 series on systems thinking published in *Health and Policy Planning*,<sup>[10,16,17,29-31]</sup> and the WHO work on health systems building blocks,<sup>[11]</sup> scaling-up strategies<sup>[25]</sup> and criteria for quality standards.<sup>[24]</sup>

### Four key principles for scaling up the CLEVER package

For scaling up the CLEVER package, we identified four key principles proposed by the WHO to be included in any planning and roll-out: systems thinking; a focus on sustainability; harnessing factors known to enhance scalability; and respect for human rights and equity.<sup>[25]</sup>

1. Systems thinking implies working with a dynamic complexity of networks, interactions and relationships. This interconnectedness and interdependence is also illustrated by the facility environment of MOUs. Midwifery teams have to find a balance between different actions that could create networks and relationships. These interactions produce either a favourable or a negative response.<sup>[16]</sup> The same would apply to district hospitals.
2. Focus on sustainability refers to the collaborative way<sup>[13]</sup> in which policy, programme development and the available budget can constrain or support a process.<sup>[25]</sup> Sufficiently skilled midwives, and adequate supplies of drugs, equipment and support services, are essential for programme expansion and sustainability.
3. Any review of the scalability of an intervention and ways to enhance it should be based on the previous determinants of success during the implementation phase of an innovation.<sup>[25]</sup> The strategy of nominating leader midwives or champions as role models to roll out CLEVER in participating labour wards could enhance the scalability of the intervention,<sup>[22]</sup> while facility manager support provides accountability.
4. Lastly, the promotion and upholding of human rights and equity for all should

be the common goal in the scaling up of interventions.<sup>[32]</sup> In our feedback processes to improve caring practices, we must advocate for patient-centred approaches in health facilities, with attention to respecting cultural differences and equitable access and care for minority groups.<sup>[25]</sup> Midwife-led teams need to share the vision of respectful care and should be enabled to develop capacities for co-ordinated action and change.<sup>[33]</sup>

### Complex adaptive systems in scale-up initiatives

To be able to scale up 'working CLEVER', it is important to understand how the SA health system functions as a complex adaptive system. Any discussion on scale-up should acknowledge that health systems are embedded in a bigger system and are

influenced by social, political and economic systems. Community characteristics determine health needs, and the health system should respond with appropriate resources in order to create equal access to healthcare.<sup>[34]</sup> These aspects would therefore also influence interventions and their scale-up. We illustrate the complexity of the health system and the interactions at play during the implementation of an intervention in one MOU in two diagrams. In Fig. 1 we start with an overview of the different levels of the SA health system involved in the scale-up of any new intervention. There are bidirectional interactive pathways from the national macro-level to the subdistrict micro-level to the level of individual MOUs and the district hospital.

Fig. 1 explains how the DCSTs as stewards<sup>[23]</sup> and integrators<sup>[32]</sup> of the implementation framework should follow




Fig. 1. Complex adaptive systems in scaling up respectful obstetric care. (DCST = district clinical specialist team.)




Fig. 2. Midwife obstetric units as scale-free hubs in the health system. (DCST = district clinical specialist team.)

Table 1. Questions to address the responsibilities of health systems at the micro-, meso- and macro-levels<sup>[23]</sup>

Focus	Questions <sup>[24]</sup>	Micro-level	Meso-level	Macro-level
Policies, guidelines and protocols	<ul style="list-style-type: none"> <li>• Is evidence-based routine care rendered with management of complications during labour, childbirth and the early postnatal period, according to SA maternity guidelines and policies?</li> <li>• Are protocols evident and flow charts displayed?</li> <li>• Do key perinatal indicators prompt early actions to improve childbirth care?</li> <li>• Are maternity registers and files with adequate clinical note-keeping available?</li> <li>• Are pathways of data collection and verification followed?</li> <li>• Are serious adverse events followed at each labour site?</li> <li>• Is monitoring and evaluation evident?</li> <li>• Are mortality meetings held monthly?</li> <li>• Are referrals to correct levels of care for efficient care in place?</li> <li>• Are risk assessments with treatment plans in place?</li> <li>• Are referral routes operational and are ambulance response times followed and contained?</li> </ul>	<ul style="list-style-type: none"> <li>• Use of guidelines and protocols</li> <li>• Availability of guidelines on site; a copy to be supplied to each healthcare professional</li> <li>• Weekly audits of care by facility managers</li> <li>• Serious adverse event meetings documented in minutes</li> <li>• National indicator data set collected and reviewed monthly</li> </ul>	<ul style="list-style-type: none"> <li>• Dissemination of policies, guidelines and protocols from meso- and macro-levels of health departments</li> <li>• Quarterly meetings with review of audited care and indicators, measured against the district health plans</li> </ul>	<ul style="list-style-type: none"> <li>• Updating of policies, guidelines and protocols in line with WHO guidelines and policies, with involvement of clinicians</li> <li>• All national<sup>[27]</sup> and CARMMA indicators<sup>[38]</sup> and updates after 2019</li> <li>• PPIP</li> <li>• Confidential Enquiry into Maternal Deaths</li> </ul>
Risk assessment and referrals	<ul style="list-style-type: none"> <li>• Is communication with women and families aligned to cultural preferences?</li> <li>• Are needs met during childbirth with birthing partner of choice, and are informed choice and consent sought during treatment and procedures?</li> <li>• Is birthing care rendered with respect and preservation of dignity?</li> <li>• Is there attention to privacy, confidentiality?</li> <li>• Is there delay in care, neglect or any discrimination?</li> <li>• Is birthing care provided by identifiable healthcare professionals?</li> <li>• Are women and their families provided with emotional support?</li> <li>• Are companions allowed and is childbirth care sensitive enough to strengthen and support the woman's capacity?</li> </ul>	<ul style="list-style-type: none"> <li>• Flow charts with information available on admission desk</li> <li>• Emergency contact numbers of subdistrict managers of EMS supplied</li> <li>• Patient satisfaction surveys on respectful care</li> <li>• Collaboration and feedback to health professionals to change poor communication habits</li> <li>• Clinical governance and accountability</li> <li>• Auditing of labour ward routines and labour ward management by nominated advanced midwife</li> <li>• Weekly rounds by management</li> <li>• All stakeholders to institutionalise involvement of birth companions in facilities</li> </ul>	<ul style="list-style-type: none"> <li>• Provincial assistance to get call centres functional</li> <li>• Feedback system to improve response times</li> <li>• Training of paramedic health personnel</li> <li>• Implementation of strategies and health promotion to improve access and equitable care</li> <li>• Feedback given to communities</li> <li>• Adherence to National Core Standards, with audits</li> <li>• Accountability</li> <li>• MCWH programme and managers assist with institutionalisation</li> </ul>	<ul style="list-style-type: none"> <li>• Assistance with dedicated obstetric ambulances and equipment resources</li> <li>• Guidelines and policies that include birth partners during intrapartum care, pain management and cultural birthing positions</li> <li>• National Core Standards<sup>[39,40]</sup></li> <li>• Advocacy and policy documents</li> </ul>
Communication and client preferences	<ul style="list-style-type: none"> <li>• Is birthing care rendered with respect and preservation of dignity?</li> <li>• Is there attention to privacy, confidentiality?</li> <li>• Is there delay in care, neglect or any discrimination?</li> <li>• Is birthing care provided by identifiable healthcare professionals?</li> <li>• Are women and their families provided with emotional support?</li> <li>• Are companions allowed and is childbirth care sensitive enough to strengthen and support the woman's capacity?</li> </ul>	<ul style="list-style-type: none"> <li>• Patient satisfaction surveys on respectful care</li> <li>• Collaboration and feedback to health professionals to change poor communication habits</li> <li>• Clinical governance and accountability</li> <li>• Auditing of labour ward routines and labour ward management by nominated advanced midwife</li> <li>• Weekly rounds by management</li> </ul>	<ul style="list-style-type: none"> <li>• Health promotion to improve access and equitable care</li> <li>• Feedback given to communities</li> <li>• Adherence to National Core Standards, with audits</li> <li>• Accountability</li> </ul>	<ul style="list-style-type: none"> <li>• Guidelines and policies that include birth partners during intrapartum care, pain management and cultural birthing positions</li> <li>• National Core Standards<sup>[39,40]</sup></li> <li>• Advocacy and policy documents</li> </ul>
Respectful treatment	<ul style="list-style-type: none"> <li>• Is birthing care rendered with respect and preservation of dignity?</li> <li>• Is there attention to privacy, confidentiality?</li> <li>• Is there delay in care, neglect or any discrimination?</li> <li>• Is birthing care provided by identifiable healthcare professionals?</li> <li>• Are women and their families provided with emotional support?</li> <li>• Are companions allowed and is childbirth care sensitive enough to strengthen and support the woman's capacity?</li> </ul>	<ul style="list-style-type: none"> <li>• Patient satisfaction surveys on respectful care</li> <li>• Collaboration and feedback to health professionals to change poor communication habits</li> <li>• Clinical governance and accountability</li> <li>• Auditing of labour ward routines and labour ward management by nominated advanced midwife</li> <li>• Weekly rounds by management</li> </ul>	<ul style="list-style-type: none"> <li>• Health promotion to improve access and equitable care</li> <li>• Feedback given to communities</li> <li>• Adherence to National Core Standards, with audits</li> <li>• Accountability</li> </ul>	<ul style="list-style-type: none"> <li>• Guidelines and policies that include birth partners during intrapartum care, pain management and cultural birthing positions</li> <li>• National Core Standards<sup>[39,40]</sup></li> <li>• Advocacy and policy documents</li> </ul>
Emotional support for birthing mothers	<ul style="list-style-type: none"> <li>• Are women and their families provided with emotional support?</li> <li>• Are companions allowed and is childbirth care sensitive enough to strengthen and support the woman's capacity?</li> </ul>	<ul style="list-style-type: none"> <li>• All stakeholders to institutionalise involvement of birth companions in facilities</li> </ul>	<ul style="list-style-type: none"> <li>• MCWH programme and managers assist with institutionalisation</li> </ul>	<ul style="list-style-type: none"> <li>• Advocacy and policy documents</li> </ul>

Continued ...

Table 1. (continued) Questions to address the responsibilities of health systems at the micro-, meso- and macro-levels.<sup>[2,3]</sup>

Focus	Questions <sup>[24]</sup>	Micro-level	Meso-level	Macro-level
Human resources at the right skills level	<ul style="list-style-type: none"> <li>• Are competent and motivated midwives consistently available?</li> <li>• Are midwives skilled in providing routine care and managing complications at the level of their facility?</li> <li>• Are EOST drills conducted weekly?</li> <li>• Is a training log available on site?</li> </ul>	<ul style="list-style-type: none"> <li>• Managerial and clinical leadership in place to ensure further development of skills according to needs highlighted in training logs</li> </ul>	<ul style="list-style-type: none"> <li>• Policies, monitoring of quality improvement and outreach evident</li> </ul>	<ul style="list-style-type: none"> <li>• Updating of policies, guidelines and protocols in line with WHO guidelines and policies, with involvement of clinicians</li> </ul>
Environment	<ul style="list-style-type: none"> <li>• Is the environment safe and clean?</li> <li>• Are equipment, drugs and supplies in place to manage routine and emergency care?</li> <li>• Are ESMOE boxes repacked after each use and expired drugs replaced?</li> </ul>	<ul style="list-style-type: none"> <li>• Support staff incorporated and involved to form part of the team, working towards common goal of patient care</li> <li>• Labour ward routines reviewed to ensure an efficiently functioning unit</li> </ul>	<ul style="list-style-type: none"> <li>• Supply chain and procurement support and financial resources to match values of service delivery demand at PHC level</li> <li>• Manager rounds and involvement</li> </ul>	<ul style="list-style-type: none"> <li>• Strategic planning and district health plans are in line with the service delivery needs in communities</li> </ul>

SA = South African; WHO = World Health Organization; CARMMA = Campaign on Accelerated Reduction of Maternal, Newborn and Child Mortality in Africa; PPIP = Perinatal Problem Identification Programme; EMS = emergency medical services; M/CWH = maternal, child and women's health; EOST = emergency obstetric simulated training; ESMOE = Essential Steps in the Management of Obstetric Emergencies; ESMOE boxes = boxes with all the drugs, supplies and equipment needed for dealing with eclampsia and post-partum haemorrhage; PHC = primary healthcare.

a health systems thinking pathway that includes positive feedback<sup>[10,30]</sup> and champions.<sup>[35]</sup> Collaboration and the acknowledgement of interdependence could break down existing barriers and resistance to change at local sites and assist with the integration of services in a larger network. These interactions can have a domino effect and produce change in the bidirectional pathways.<sup>[30]</sup> The scale-up of CLEVER should take place from the micro-levels upwards and should not be imposed from above. This should be accompanied by clinical governance and feedback structures through all levels of the health system.<sup>[13,17,30]</sup> This framework can address causes of poor performance and includes coalition building, tools for implementation and accountability.<sup>[36]</sup>

During the 'working CLEVER' study, the MOUs provided insight into collaboration, networking and the implementation of the intervention. Fig. 2 illustrates how MOUs and the district hospitals act as 'scale-free hubs'.<sup>[30]</sup> This means that they do not only liaise with each other through collaboration and networking, but also with elements in the community and the social, political and economic systems.

### Asking the right questions

The issues highlighted in the WHO standards for maternal and newborn care in health facilities<sup>[24]</sup> and in its scale-up strategy<sup>[25]</sup> should be applied to all the interdependent parts in the pathway and all stakeholders should be included. This entails asking the right questions that could enhance the scale-up strategy embedded in the CLEVER package. In Table 1 we give an overview of a set of focused questions and scale-up strategies.<sup>[24,25]</sup> In addition, we include information on what should be done where and by whom at the micro-, meso- and macro-levels of the health system. These questions and the breakdown according to the different levels of care could provide guidance on strategies and policies needed to assist in the implementation and scaling up of CLEVER in SA's district-level health facilities. To enhance policy-making, questions based on the desired background in district hospital labour wards and referral MOUs should identify the barriers in these wards. This would assist in tailoring context-specific health systems strengthening as part of the start-up to implement the intervention. In a complex intervention we need to address gaps in multiple health systems building blocks<sup>[23]</sup> and sub-level changes simultaneously to facilitate implementation and improve reports on the important effects on the system. The questions asked would relate to the functioning of complex adaptive health systems and could lead to improvements in perinatal mortality and morbidity and of women's experiences of childbirth. A reduction in mortality rates reflects timely, high-quality care during childbirth and progress in the responsiveness of the health system to take appropriate action.<sup>[31]</sup>

Successful scale-up actions should include health systems strengthening across all building blocks and should apply to service delivery, the health workforce, health information systems, access to essential medicines, financing, and leadership and governance.<sup>[41]</sup> To be able to scale innovations, health systems governance needs the complex and multidimensional approach of systems thinking. The characteristics of complex systems and human behaviour should undergo a process of adaptation during implementation, with a focus on local barriers and attention to any unintended outcomes.<sup>[31]</sup> We can bring respectful, high-quality obstetric care back into communities through health systems strengthening and the improvement of midwifery skill and capabilities. This should be matched with leadership, clinical governance and accountability<sup>[42]</sup> at the micro-, meso- and macro-levels to bring about the turning point.

### Conclusion

The CLEVER intervention should now be rolled out to other MOUs and tested in district hospitals in SA. Following the bidirectional pathways in the health system and strengthening the system could make the long-term vision of high-quality respectful obstetric care to birthing women attainable and could sustain the innovation.

The three key messages related to health systems thinking that emerged from the CLEVER intervention are the following:

- Collaboration with feedback should ensure that the kind of care that birthing women expect during labour matches the care that midwives provide.
- Interprofessional teamwork linking different levels of the health system should provide one standard of care, regardless of where women give birth.
- Promoting strong clinical governance and accountability and ensuring dedicated, motivated and skilled birth attendants will create the turning point.

**Declaration.** This publication is part of the PhD studies of the first author, SJO.

**Acknowledgements.** The authors thank the healthcare professionals and clients who participated in the intervention. Special thanks go to Ute Feucht, Hannelie Venter and Peter Macdonald for reading and commenting on earlier drafts of the manuscript.

**Author contributions.** SJO, AMB and RCP participated in the design of the study to develop and test the CLEVER package. SJO wrote the first draft of the paper, on which AMB and RCP made extensive comments.

**Funding.** The South African National Department of Health and the South African Medical Research Council Unit for Maternal and Infant Health Care Strategies, University of Pretoria, provided financial support for the development and testing of the CLEVER package. The Department of Family Medicine, University of Pretoria, provided a research assistant. The funders played no further role in any part of the research.

**Conflicts of interest.** None.

- World Health Organization. Quality of Care: A Process for Making Strategic Choices in Health Systems. Geneva: WHO, 2006. [http://apps.who.int/iris/bitstream/handle/10665/43470/9241563249\\_eng.pdf?sequence=1&isAllowed=y](http://apps.who.int/iris/bitstream/handle/10665/43470/9241563249_eng.pdf?sequence=1&isAllowed=y) (accessed 23 March 2018).
- World Health Organization. Health in 2015: From MDGs to SDGs. Geneva: WHO, 2015. <http://www.who.int/gho/publications/mdgs-sdgs/en/> (accessed 23 March 2018).
- Dickson KE, Simen-Kapeu A, Kinney MV, et al. Every newborn: Health-systems bottlenecks and strategies to accelerate scale-up in countries. *Lancet* 2014;384(9941):438-454. [https://doi.org/10.1016/S0140-6736\(14\)60582-1](https://doi.org/10.1016/S0140-6736(14)60582-1)
- Say L, Chou D, Gemmill AW, et al. Global causes of maternal death: A WHO systematic analysis. *Lancet Glob Health* 2014;2(6):e323-e333. [https://doi.org/10.1016/S2214-109X\(14\)70227-X](https://doi.org/10.1016/S2214-109X(14)70227-X)
- Liu L, Oza S, Hogan D, et al. Global, regional, and national causes of child mortality in 2000-13, with projections to inform post-2015 priorities: An updated systematic analysis. *Lancet* 2015;285(9966):430-440. [https://doi.org/10.1016/S0140-6736\(14\)61698-6](https://doi.org/10.1016/S0140-6736(14)61698-6)
- Heiby J, Armbruster D, Jacobs T. Better care for every patient, every time: Improving quality in low health systems. *BJOG* 2014;121(Suppl 4):4-7. <https://doi.org/10.1111/1471-0528.12903>
- Stokes T, Shaw EJ, Camosso-Steinovic J, et al. Barriers and enablers to guideline implementation strategies to improve obstetric care practice in low- and middle-income countries: A systematic review of qualitative evidence. *Implement Sci* 2016;11:144. <https://doi.org/10.1186/s13012-016-0508-1>
- Abuya T, Ndwiaga C, Ritter J, et al. The effect of a multi-component intervention on disrespect and abuse during childbirth in Kenya. *BMC Pregnancy Childbirth* 2015;15:224. <https://doi.org/10.1186/s12884-015-0645-6>
- Thomas LS, Jina R, Tint KS, et al. Making systems work: The hard part of improving maternal health services in South Africa. *Reprod Health Matters* 2007;15(30):38-49. [https://doi.org/10.1016/S0968-8080\(07\)30314-5](https://doi.org/10.1016/S0968-8080(07)30314-5)
- Willis C, Riley B, Best A, Ongolo-Zogo P. Strengthening health systems through networks: The need for measurement and feedback. *Health Policy Plan* 2012;27(Suppl 4):iv62-iv66. <https://doi.org/10.1093/heapol/czs089>
- Bhutta SZ, Chopra M, Axelson H, et al. Countdown to 2015 decade report (2000-10): Taking stock of maternal, newborn, and child survival. *Lancet* 2010;375(9730):2033-2044. [https://doi.org/10.1016/S0140-6736\(10\)60678-2](https://doi.org/10.1016/S0140-6736(10)60678-2)
- Tunçalp Ö, Were WM, MacLennan C, et al. Quality of care for pregnant women and newborns – the WHO vision. *BJOG* 2015;122(8):1045-1049. <https://doi.org/10.1111/1471-0528.13451>
- Franco L, Marquez L. Effectiveness of collaborative improvement: Evidence from 27 applications in 12 less-developed and middle-income countries. *BMJ Qual Saf* 2011;20(8):658-665. <https://doi.org/10.1136/bmjqs.2010.044388>
- Ten Hoop-Bender P, de Bernis L, Campbell J, et al. Improvement of maternal and newborn health through midwifery. *Lancet* 2014;384(9949):1226-1235. [https://doi.org/10.1016/S0140-6736\(14\)60930-2](https://doi.org/10.1016/S0140-6736(14)60930-2)
- Ten Hoop-Bender P, Lopes S, Nove A. Midwifery 2030: A woman's pathway to health. What does this mean? *Midwifery* 2016;32:1-6. <https://doi.org/10.1016/j.midw.2015.10.014>
- Atun R. Health systems, systems thinking and innovation. *Health Policy Plan* 2012(Suppl 4):27:iv4-iv8. <https://doi.org/10.1093/heapol/czs088>
- Adam T, de Savigny D. Systems thinking for strengthening health systems in LMICs: Need for paradigm shift. *Health Policy Plan* 2012;27(Suppl 4):iv1-iv3. <https://doi.org/10.1093/heapol/czs084>
- Honikman S, Fawcus S, Meintjies I. Abuse in South African maternity settings is a disgrace: Potential solutions to the problem. *S Afr Med J* 2015;105(4):284-286. <https://doi.org/10.7196/SAMJ9582>
- Jewkes R, Abrahams N, Mvo Z. Why do nurses abuse patients? Reflections from South African obstetric services. *Soc Sci Med* 1998;47(11):1781-1795.
- Chadwick RJ, Cooper D, Harries J. Narratives of distress about birth in South African public maternity settings: A qualitative study. *Midwifery* 2014;30(10):862-868. <https://doi.org/10.1016/j.midw.2013.12.014>
- Jewkes R, Penn-Kekana L. Mistreatment of women in childbirth: Time for action on this important dimension of violence against women. *PLoS Med* 2015;12(6):e1001849. <https://doi.org/10.1371/journal.pmed>
- Oosthuizen SJ, Bergh AM, Grimbeek J, Pattinson R. Midwife-led obstetric units working 'CLEVER': Improving perinatal outcome indicators in a South African health district. *S Afr Med J* (in press).
- World Health Organization. Everybody's Business: Strengthening Health Systems to Improve Health Outcomes. WHO's Framework for Action. Geneva: WHO, 2007. [http://apps.who.int/iris/bitstream/handle/10665/43918/9789241596077\\_eng.pdf;jsessionid=44D0637590F3446CE91ABBE1F0DBFB0?sequence=1](http://apps.who.int/iris/bitstream/handle/10665/43918/9789241596077_eng.pdf;jsessionid=44D0637590F3446CE91ABBE1F0DBFB0?sequence=1) (accessed 23 March 2018).
- World Health Organization. Standards for Improving Quality of Maternal and Newborn Care in Health Facilities. Geneva: WHO, 2016. <http://apps.who.int/iris/bitstream/handle/10665/249155/9789241511216-eng.pdf?sequence=1> (accessed 23 March 2018).
- World Health Organization. ExpandNet. Nine steps for developing a scaling-up strategy. 2010. <http://expandnet.net/PDFs/ExpandNet-WHO20%Nine%20Step%20Guide%20Published.pdf> (accessed 28 September 2017).
- Ministerial Task Team. District clinical specialist teams in South Africa: Ministerial task team report to the Honourable Minister of Health, Dr Aaron Motaoleli. 2012. <http://www.google.co.za/url?sa=t&rc=j&q=&esrc=s&source=web&cd=&ved=0ahUKewiY64fqpN3RAhVlKMAKHrYrUDxgQFggjMAE&url=http%3A%2F%2Fwww.health.gov.za%2Findex.php%2F2014-08-15-12-55-04%2Fcategory%2F100-2012rp%3Fdownload%3D186%3Adistrict-clinical-specialist-teams-in-south-africa-ministerial-task-team-report&usq=AFQjCNF4InCkNYzBB5uyOAFB1wdR3A0fw> (accessed 30 January 2018).
- Naledi T, Barron P, Schneider H. Primary health care in SA since 1994 and implications of the new vision for PHC re-engineering. In: Padarath A, English R, eds. *South African Health Review 2011*. Durban: Health Systems Trust, 2011:17-28. [http://www.hst.org.za/publications/South%20African%20Health%20Reviews/sahr\\_2011.pdf](http://www.hst.org.za/publications/South%20African%20Health%20Reviews/sahr_2011.pdf) (accessed 23 March 2018).
- National Department of Health. Handbook for District Clinical Specialist Teams (DCST). Pretoria: NDoH, 2014. <https://www.health-e.org.za/wp-content/uploads/2015/06/Handbook-for-DCSTs.pdf> (accessed 23 March 2018).
- Swanson R, Cattaneo A, Bradley E, et al. Rethinking systems strengthening: Key system thinking tools and strategies for transformational change. *Health Policy Plan* 2012;27(Suppl 4):iv54-iv61. <https://doi.org/10.1093/heapol/czs090>
- Paina L, Peters D. Understanding pathways for scaling up health services through the lens of complex adaptive systems. *Health Policy Plan* 2012;27(5):365-373. <https://doi.org/10.1093/heapol/czr054>
- Adam T, Hsu J, de Savigny D, et al. Evaluating health system strengthening interventions: Are we asking the right questions? *Health Policy Plan* 2012;27(Suppl 4):iv9-iv19. <https://doi.org/10.1093/heapol/czs086>
- Berwick DM, Nolan TW, Whittington J. The triple aim: Care, health, and cost. *Health Aff* 2008;27(3):759-769. <https://www.healthaffairs.org/doi/pdf/10.1377/hlthaff.27.3.759> (accessed 4 October 2018).
- Senge PM. *The Fifth Discipline: The Art and Practice of the Learning Organisation*. London: Random House Business Books, 2006.
- Anderson L, Scrimshaw S, Fullilove M, et al. The community guide's model for linking the social environment to health. *Am J Prev Med* 2003;24(3, Suppl):12-20. [https://doi.org/10.1016/S0749-3797\(02\)00652-9](https://doi.org/10.1016/S0749-3797(02)00652-9)
- Raven J, Hofman J, Adegoke A, et al. Methodology and tools for quality improvement in maternal and newborn care. *Int J Gynaecol Obstet* 2011;114(1):4-9. <https://doi.org/10.1016/j.ijgo.2011.02.007>
- Anand S, Ammar W, Evans T, et al. Report of the Scientific Peer Review Group on Health Systems Performance Assessment: Debates, Methods and Empiricism. Geneva: World Health Organization, 2003:839-913.
- Pattinson RC, Rhoda N. Saving babies 2012 - 2013: Ninth Report on Perinatal Care in South Africa. Pretoria: Tshepisa Press, 2014. <https://www.ppp.co.za/wp-content/uploads/Saving-Babies-2012-2013.pdf> (accessed 23 March 2018).
- National Department of Health, South Africa. South Africa's National Strategic Plan for Campaign on Accelerated Reduction of Maternal and Child Mortality in Africa (CARMMA). Pretoria: NDoH, 2012. [http://www.kznhealth.gov.za/family/CARMMA\\_South\\_Africa\\_Strategy.pdf](http://www.kznhealth.gov.za/family/CARMMA_South_Africa_Strategy.pdf) (accessed 23 March 2018).
- National Department of Health, South Africa. Ideal Clinic Definitions, Components and Checklists. Pretoria: NDoH, 2017. <https://www.idealclinic.org.za/docs/v17/Final%20Ideal%20Clinic%20Framework%20-%20version%2017%20on%203%20Aug%202017.pdf> (accessed 23 March 2018).
- National Department of Health, South Africa. National Guideline on Conducting Patient Experience of Care Surveys in Public Health Establishments. Pretoria: NDoH, 2017. <https://www.idealclinic.org.za/docs/guidelines/National%20Guideline%20to%20conduct%20Patient%20Experience%20of%20Care%20Surveys%20Oct%202017.pdf> (accessed 23 March 2018).
- Poyne T, Smith H, van den Broek N. Frameworks to assess health systems governance: A systematic review. *Health Policy Plan* 2017;32(5):710-722. <https://doi.org/10.1093/heapol/czx007>
- Mutale W, Ayles H, Bond V, et al. Application of systems thinking: 12-month postintervention evaluation of a complex health system intervention in Zambia: The case of the BHOME. *J Eval Clin Pract* 2017;23(2):439-452. <https://doi.org/10.1111/jep.12354>

Accepted 29 May 2018.